STREETSCAPE DESIGN ELM STREET + FRONT STREET INTERSECTION

ANALYSIS AND PRELIMINARY CONCEPTS

Jessica Kimball Steve Thompson





COMMERCIAL STREET SUMMER STREET BRACKETT'S MARKET FRONT WATER STREET STREET 100 50 200 CROSS WALK

THE SITE





- ---- PARCEL LINES
- ROADWAY
- SIDEWALK
- ☐ PARKING LOT
- OPEN SPACE BUILDING
- TREE
- STREET LIGHT
- UTILITY POLE




ISSUES

- I. PERCEIVED END OF DOWNTOWN
- 2. UNDER UTILIZED PEDESTRIAN SPACE
- 3. POOR STREET TREE HEALTH



PERCEIVED END OF DOWNTOWN AT ELM STREET INTERSECTION









ELM STREET







UNDER UTILIZED PEDESTRIAN SPACE






HIDDEN PEDESTRIAN SPACE
WINDOWLESS ADJACENT FACADE



UNDER UTILIZED PEDESTRIAN SPACE






LACK OF SOLAR GAIN




CROSS WALK ORIENTATION













FRONT STREET









VOID IN STREETSCAPE: BRACKETT'S MARKET









NARROW SIDEWALK WIDTH ON FRONT STREET NORTH OF ELM STREET







POOR STREET TREE HEALTH







NORWAY MAPLE IN POOR HEALTH





VEHICULAR CONDITIONS

TOTAL PARKING SPACES: 26

FRONT STREET PARKING

Parallel parking on west side (12 spaces)

ELM STREET PARKING

- Perpendicular parking on south side (10 spaces)
- Parallel parking on north side (4 spaces)
- Loading zone

FRONT STREET CURB CUTS: 3

BICYCLE INFRASTRUCTURE: 0



DISCUSSION

You know this area better than anyone...

- What have we missed?
- What is important for us to recognize?



OPPORTUNITIES

- Elm Street intersection: there is room for design
- Strengthen the pedestrian streetscape experience
- Increase pedestrian traffic north of Elm Street
- Improve street tree health



WHAT MAKES A SUCCESSFUL STREETSCAPE?



STOREFRONT WINDOWS

HEALTHY STREET TREE CANOPY

PARALLEL PARKING


STREET FURNISHINGS

SEASONAL PLANTINGS

SOLAR EXPOSURE

WIDE SIDEWALK





Relocate pedestrian space at intersection

- Improve quality of the space
- Improve solar gain on north side of intersection
- Make space more visible to pedestrians







Relocate pedestrian space at intersection

- Improve quality of the space
- Improve solar gain on north side of intersection
- Make space more visible to pedestrians

Close the gap in the streetscape

- Improve pedestrian experience
- Improve pedestrian safety
- Improve street tree health







Relocate pedestrian space at intersection

- Improve quality of the space
- Improve solar gain on north side of intersection
- Make space more visible to pedestrians

Close the gap in the streetscape

- Improve pedestrian experience
- Improve pedestrian safety
- Improve street tree health

Improve sidewalk infrastructure

- Create space for sidewalk infrastructure
- Invite pedestrians to storefronts north of Elm Street
- Improve street tree health







Relocate pedestrian space at intersection

- Improve quality of the space
- Improve solar gain on north side of intersection
- Make space more visible to pedestrians

Close the gap in the streetscape

- Improve pedestrian experience
- Improve pedestrian safety
- Improve street tree health

Improve sidewalk infrastructure

- Create space for sidewalk infrastructure
- Invite pedestrians to storefronts north of Elm Street
- Improve street tree health

Connect with existing pocket park

- Expose pocket park to streetscape
- Tie new pedestrian space to pocket park









Relocate pedestrian space at intersection

- Improve quality of the space
- Improve solar gain on north side of intersection
- Make space more visible to pedestrians

Close the gap in the streetscape

- Improve pedestrian experience
- Improve pedestrian safety
- Improve street tree health

Improve sidewalk infrastructure

- Create space for sidewalk infrastructure
- Invite pedestrians to storefronts north of Elm Street
- Improve street tree health

Connect with existing pocket park

- Expose pocket park to streetscape
- Tie new pedestrian space to pocket park

Maintain Parking

- Elm Street: 14 spaces
- Front Street: 12 spaces





PRELIMINARY CONCEPTS

- 3 concept designs starting point for discussions
- Variations in parking, sidewalk space, street plantings
- Concepts layout a framework for further design
- Elm Street: Presentation/Discussion
- Front Street: Presentation/Discussion



ELM STREET


3 PRELIMINARY CONCEPTS














ELM STREET EXISTING CONDITIONS

Pedestrian Space

- Focus on south side of intersection
- Underused sidewalk space

Parking


- 10 Perpendicular (south)
- 4 Parallel (north)
- Loading Zone


Street Trees

- Healthy linden trees (south)
- No trees (north)

Vehicular Travel Lanes

• 28 feet wide





ELM STREET CONCEPT I

Pedestrian Space

- Focus on north side of intersection
- Opportunity for focal point
- 7-foot sidewalk (south)
- 15-foot sidewalk (north)

Parking


- 6 parallel (south)
- 10 perpendicular (north)


Street Trees

- Maintain Linden tree at corner
- No new trees (south)
- Single Row (north)

Vehicular Travel Lanes

• 24 feet wide





ELM STREET CONCEPT 2

Pedestrian Space

- Focus on north side of intersection
- Opportunity for focal point
- 6-foot sidewalk (north & south)

Parking


- 14 perpendicular (south)
- 10 perpendicular (north)


Street Trees

- Single Row (south)
- Single Row (north)

Vehicular Travel Lanes

• 24 feet wide





ELM STREET CONCEPT 3

Pedestrian Space

- Focus on north side of intersection
- Opportunity for focal point
- 7-foot sidewalk (south)
- 9-foot sidewalk (north)

Parking

- 13 angle (south)
- 14 angle (north)

Street Trees

- No Trees (south)
- Single Row (north)

Vehicular Travel Lanes

• 24 feet wide




















ELM STREET

DISCUSSION









FRONT STREET


3 PRELIMINARY CONCEPTS











FRONT STREET EXISTING CONDITIONS

Pedestrian Space

- 7-foot sidewalk (west)
- 6-foot sidewalk (east)

Parking


• 12 Parallel (west)

Street Trees


- Trees in pedestrian way (west)
- Vacant tree locations (west & east)

Vehicular Travel Lanes

- 25 feet wide
- 3 curb cuts







FRONT STREET CONCEPT I

Pedestrian Space

- 7-foot sidewalk (west)
- 5-foot sidewalk (east)

Parking


• 11 Parallel (west)

Street Trees


- Single row of trees (west)
- Single row of trees (east)

Vehicular Travel Lanes

- 22 feet wide
- 3 curb cuts







FRONT STREET CONCEPT 2

Pedestrian Space

- 7-foot sidewalk (west)
- 5-foot sidewalk (east)

Parking


• 9 Parallel (west)

Street Trees


- No trees (west)
- Single row of trees & planting strip (east)

Vehicular Travel Lanes

- 23 feet wide
- I curb cut







FRONT STREET CONCEPT 3

Pedestrian Space

- 7-foot sidewalk (west)
- 5-foot sidewalk (east)

Parking


none

Street Trees


- Single row of trees (west)
- Double row of trees (east)


Vehicular Travel Lanes


- 24 feet wide
- 2 curb cuts











FRONT STREET CURB CUTS





FRONT STREET

DISCUSSION









NEXT STEPS


- Revise and refine the layout
- Further the design: materials + details
- Digital presentation for public feedback
- Final concept to be completed by end of October




THANKYOU!



EXISTING CONDITIONS






ELM STREET ELEVATION






CONCEPT I




FRONT STREET SECTION






CONCEPT 2




FRONT STREET SECTION




ELM STREET SECTION



CONCEPT 3



FRONT STREET SECTION



ELM STREET SECTION

